National Institutes of Health National Cancer Institute				Division of Cancer Treatment and Diagnosis Cancer Therapy Evaluation Program	
Protocol Sul	bmission Checklist	:			
Please Print or T	Гуре			1	
Name of Ins	titution:				
Institution P	Protocol No.:		NCI Pro	tocol No.:	
Protocol Ch				NI .	
List NCI-Sup					
Please indic	cate type of material encl	losed and fill i	n the blanks:		
☐ New Prot	tocol	I Amendr	nent Status Notice		
I. NEW PRO	OTOCOL ENTITLED:				
□yes □no	Have you submitted a Lo	etter of Intent f	or this protocol? If yes, what	is the LOI No:	
□yes □no	Are vou enclosing a sigr	ned and dated	IRB approval (Form 596)?	f no, explain:	
□yes □no	Are you submitting this i	protocol for app	proval for CCOP?		
□yes □no	Is this protocol part of a	grant or coope	rative agreement? Grant No.:		
□yes □no	Do you wish this protoco	ol to be conside	ered a contract-funded study?	Contract No.:	
Projected Da	ate of Activation (If already o	opened, provid	e activation date):		
II. REVISIO	NS : Response to CTFP a	uestions for pro	otocol awaiting CTEP approval		
			stood amaiting 012. approval		
_	MENT TO APPROVED PR		OTED	ad land and and a	
_		•	nges between CTEP approval a	nd local activation)	
 ☐ Activation Amendment only (list changes) ☐ Activation Amendment plus replacement pages 					
	☐ Activation Amendment		• •		
☐ AMENDMENT FOR ACTIVE STUDY			document		
	☐ Editorial, administrative		☐ Change of participants		
	☐ Scientific changes	changes	☐ Change of Protocol Ch		
IV. OFFICIA	AL NOTICE OF CHANGE	IN PROTOCO	L STATUS:		
	☐ Activation	Date:			
Г	☐ Temporary Closure	Date:		<u></u>	
	☐ Reactivation	Date:			
	☐ Closure	Date:		<u> </u>	
Γ	☐ Completion	Date:		<u> </u>	
V. OTHER:					
Signa	ture of person completing	ng the form	Phone No.		Date

VI. COR	RELATIVE STUDIES (laboratory, priarmacokinetic or other correlative studies).
Are any c	orrelative studies embedded within this protocol? Uyes Uno If yes:
A.	Correlative Study Identification Code
	ch correlative study should have a unique identification code. Please provide a unique code for each correlative study. Correlative study les should be limited to a maximum of 8 characters (alpha and/or numeric).
	Example: Correlative Study Identification Code: P-123.
В.	Correlative Study Title
Ple	ase indicate the title of each correlative study (laboratory, pharmacokinetic or other correlative studies) embedded within this trial.
	Example: Correlative Study Title: O ⁶ -benzylguanine concentrations in plasma.
	Correlative Study Identification Code:
	Correlative Study Title:
	2. Correlative Study Identification Code:
	Correlative Study Title:
	3. Correlative Study Identification Code:
	Correlative Study Title:
	If additional space is required, please include as an attachment.
	If additional space is required, please include as an attachment.
	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or
VII. SUB treatment	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or
A.	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code ch subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited
A.	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code th subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A".
treatment A. Eac to a	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code th subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A.
A.	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code th subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology
treatment A. Eac to a	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code th subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be
A. Eac to a	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code th subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms.
A. Eac to a	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code th subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be used to uniformly group patients for treatment or analysis.
A. Eac to a	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code ch subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be used to uniformly group patients for treatment or analysis. Example: Subgroup Description: Patients with previously untreated gliomas. a. Subgroup Code: (Use "A" for protocols with a single subgroup)
A. Eac to a	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code th subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be used to uniformly group patients for treatment or analysis. Example: Subgroup Description: Patients with previously untreated gliomas. a. Subgroup Code: (Use "A" for protocols with a single subgroup)
A. Eac to a	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code ch subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be used to uniformly group patients for treatment or analysis. Example: Subgroup Description: Patients with previously untreated gliomas. a. Subgroup Code: (Use "A" for protocols with a single subgroup)
A. Eac to a	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code th subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be used to uniformly group patients for treatment or analysis. Example: Subgroup Description: Patients with previously untreated gliomas. a. Subgroup Code: (Use "A" for protocols with a single subgroup) Subgroup Description:
A. Eac to a	GROUP: A subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code ch subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be used to uniformly group patients for treatment or analysis. Example: Subgroup Description: Patients with previously untreated gliomas. a. Subgroup Code: (Use "A" for protocols with a single subgroup) Subgroup Description:
A. Eac to a	Subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code ch subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be used to uniformly group patients for treatment or analysis. Example: Subgroup Description: Patients with previously untreated gliomas. a. Subgroup Code: (Use "A" for protocols with a single subgroup) Subgroup Description: b. Subgroup Description:
A. Eac to a	Subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code th subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited at maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be used to uniformly group patients for treatment or analysis. Example: Subgroup Description: Patients with previously untreated gliomas. a. Subgroup Code: (Use "A" for protocols with a single subgroup) Subgroup Description: b. Subgroup Description: c. Subgroup Code:
A. Eac to a	Subgroup (stratum) is a unique patient characteristic that will be utilized to uniformly group patients for separate analysis or Subgroup Identification Code ch subgroup should have a unique identification code. Please provide a code for each correlative study. Subgroup codes should be limited a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single subgroup then all patients will be entered on subgroup "A". Example: Subgroup Code: A. Subgroup Description Patients stratified by disease: Please indicate what disease(s) will be included in each subgroup. Use International Medical Terminology (IMT) terms. If unsure of the appropriate IMT term please check the CTEP home page for a comprehensive list of IMT terms. Patients stratified by other classification (ex. prior therapy, age): Please describe what patient characteristics (other than disease) will be used to uniformly group patients for treatment or analysis. Example: Subgroup Description: Patients with previously untreated gliomas. a. Subgroup Code: (Use "A" for protocols with a single subgroup) Subgroup Description: b. Subgroup Description:

VIII. TREATMENT ASSIGNMENT (arm/dose level):

If additional space is required, please include as an attachment.

The unique treatment characteristic that will be utilized to uniformly group patients for separate analysis or treatment. Each arm or dose level should be considered a distinct treatment assignment.

A. Treatment Assignment Identification Code

Each treatment assignment (arm or dose level) should have a unique identification code. Please provide a code for each treatment assignment included in this study. Treatment assignment codes should be limited to a maximum of 8 characters (alpha and/or numeric). If a protocol has only a single treatment assignment then all patients will be entered on treatment assignment "1".

Example: Treatment Assignment Code: Level 1.

Example: Treatment Assignment Description:

B. Treatment Assignment Description, (Agent(s)/Dose Regimen/Schedule/Route)

If additional space is required, please include as an attachment.

Provide a complete description of each treatment assignment. Include the agent name, dose, route and schedule for every agent within a treatment assignment. In addition any non-pharmacologic treatment modality(s) (radiation, surgery, etc.) should also be described.

Cisplatin 100mg/m ² IV over 1 hour for one dose on day one. Taxol 130mg/m ² IV over 3 hours for one dose on day one. Repeat every 21 days.				
	(Use "1" for protocols with one treatment assignment)			
Treatment Assignment Description:				
Treatment Assignment Code: Treatment Assignment Code:				
Treatment Assignment Description:				
Treatment Assignment Code: Treatment Assignment Description:				
Trodunont Addignment Beschpton.				
4. Treatment Assignment Code:				
·				